# Hitch of India

**ग्रसाधारण** 

# EXTRAORDINARY

भाग I--वण्ड 1

# PART I-Section 1

प्राधिकार से प्रकाशित

# PUBLISHED BY AUTHORITY

स॰ 224]

नई विरुली, बुघवार, विसम्धर 4, 1968/माग्रहायण 13, 1890

No. 224] NEW DELHI, WEDNESDAY, DECEMBER 4, 1968/AGRAHAYANA 23, 1890

इस भाग में भिन्न पुष्ठ संख्या दी जाती है जिससे कि यह ग्रालग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed as a separate compilation.

## MINISTRY OF COMMERCE

PUBLIC NOTICES

IMPORT TRADE CONTROL

New Delhi, the 4th December 1968

Subject.—Import Policy for Registered Exporters for the year April, 1968—March, 1969.

No. 256-ITC(PN)/68.—Attention is invited to the Import Policy for Registered Exporters contained in Volume II of the Import Control Policy Book (Red Book) for the year April, 1968—March, 1969 issued under the Ministry of Commerce Public Notice No 50-ITC(PN)68 dated the 1st April, 1968

| =                    |   |   |  |
|----------------------|---|---|--|
| dica                 | (2) The follow:—  | owing amendme                                 | ents may be made at the appropriate places as in   |
|                      | No. of the<br>Book  | Reference                                     | Amendments   |
| 59                   |   | . S. No. B. 52.1                              | I For entries (a) and (j), the following may be substituted:   |
|                      |   | Col. 4  | — "(a) Natural rubber (50%)" "(j) Nylon tyre yarn/Cord/filament/fabric (60%)"  |
| Sua                  | ыјест.— <i>Impor</i><br>1969.   | t Policy for R                                | Registered Exporters for the April, 1968—Marci   |
| Exp<br>Boo           | oorters contained (   | lned in Volume<br>year April, 1968            | tion is invited to the Import Policy for Registere: II of the Import Trade Control Policy Book (Re 8—March, 1969 issued under the Ministry of ComC(PN)/68 dated 1st April, 1968.   |
| ĮTC                  | (2) The Seri<br>C(PN)/68 dat  | ial number "B.<br>ted 19th Septem             | 54.5" accuring in para 5 of Public Notice No. 204 onber, 1968, may be read as "B 55.5."  |
| Sur                  | вјест.—Ітрот<br>1969.   | rt Policy for Re                              | egistered Exporters for the April, 1968-March  |
| Exp<br>Boo           | No.258-ITC(Porters contains)  | N)/68.—Attention                              | lon is invited to the Import Policy for Registere<br>II of the Import Trade Control Policy Book (Re<br>3—March, 1969, issued under the Ministry of Com   |
| mer                  | rce Public No   | otice No. 50-ITC                              | C(PN)/68 dated 1st April, 1968.  |
| :                    | rce Public No   | otice No. 50-ITC                              | ts may be made at the appropriate places as indi   |
| cate<br>Page         | rce Public No<br>2. The follow  | otice No. 50-ITC                              | C(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indi  |
| cate<br>Page         | 2. The followed below:  | otice No. 50-ITC  ving amendment   Red        | C(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indi  |
| cate Page Book       | 2. The followed below:—  No. of the control of the | otice No. 50-ITC ring amendment               | ts may be made at the appropriate places as indi  Amendments  For the existing entry at (i) the following may 1  |
| cate<br>Page         | 2. The followed below:—  No. of the control of the | otice No. 50-ITC ring amendment Red Reference | c(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indi  Amendments  |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | ts may be made at the appropriate places as indi   Amendments  For the existing entry at (i) the following may be substituted:   |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | c(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indicated as indicated as a substituted and substituted are substituted as a substitute are substituted as |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | C(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indi  Amendments  3  For the existing entry at (i) the following may to substituted:—  "(i) Dyes (50%), the following:—  Description  C.I.No.  C.I. acid black 82 C.I. acid blue 161  |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | c(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indicated as indicated as a substituted and substituted are substituted as a substitute are substituted as |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | c (PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indicated as indic |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | C(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indicated as indica |
| cate Page Book       | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | ts may be made at the appropriate places as indices as  |
| cate Page Book       | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | C(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indicated as indica |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | C(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indicated as indica |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | C(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indicated as indica |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | ts may be made at the appropriate places as indices as  |
| cate Page Book       | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | C(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indicated as indica |
| cate<br>Page<br>Book | 2. The followed below:—  No. of the control of the | ring amendment Red Reference 2 R.1.3.         | C(PN)/68 dated 1st April, 1968.  ts may be made at the appropriate places as indicated as indica |

| 1 | 7 2 | 3  |   |   |   |   |                |
|---|-----|--|---|---|---|---|----------------|
|   |     | Description                                |   |   |   |   | C.I.No         |
|   |     | C.I. acid Red 198 ,                        |   |   |   |   | 19115          |
|   |     | C.I. acid Red 180                          | - | • | • | • | 18736          |
|   |     | C.I. acid blue 133                         | • | • |   | • | • •            |
|   |     | C.I. seid Red 234                          | • | • | - | • | * *            |
|   |     | C.I. acid Red 235 .                        | • | • | • | • |                |
|   |     | C.I. acid Red 236 .                        | • | • | • | • | • •            |
|   |     | C.I. acid brown 159                        | • | • | • | - | * *            |
|   |     | C.I. acid brown 160<br>C.I. acid brown 161 | • | • | • | • |                |
|   |     | C.I. acid brown 162                        | • | • | • | • | * *            |
|   |     | C.I. acid brown 163                        | • | • | • | • | * 1            |
|   |     | C.I. acid brown 103<br>C.I. acid orange 51 | - | • | • | • | 26450          |
|   |     | C.I. acid brown 165                        | • | • | • | • | 26550          |
|   |     | C.I. acid blue 134                         | • | • | • | • | • •            |
|   |     | C.I. acid green 26                         | • | • | • | • | • • •          |
|   |     | C.I. acid green 20<br>C.I. acid orange 78  | • | • | • | • | • • •          |
|   |     | C.I. Direct blue 39                        | • | • | • | • | • •            |
|   |     | C.I. acid violet 80                        | • |   | • | • | • •            |
|   |     | C.I. acid violet 60 .                      | • | • | • | • | • •            |
|   |     | C.I. acid Black 26                         | • | • | • | • | 7070           |
|   |     | C.I. acid blue 86 .                        | • | • | • | • |                |
|   |     | C.I. acid blue 88 .                        | ٠ | • | • | • | 44075          |
|   |     | C.I. Direct brown 206                      | • | • | • | • | 44060<br>25010 |
|   |     | C.I. acid black 84 .                       | • | • | • | • | 17560"         |
|   |     | 3.1. uotti Dinon 04 .                      | • | • | • | • | 1/300          |

3. The following items are classifiable under the Product Groups mentioned below and fall under the respective Serial numbers shown against each.

### A. ENGINEERING GOODS.

- 1. Chair nails (made of brass) ...... A. 96.2
- 2. Hub brushes ...... A. 133.3
- 3. Pump connections made of brass and rubber tubing ...... A. 154.

### N. COTTON TEXTILES.

- 1. Rim tapes for bicycles ...... N. 3.
- (4) The above items may be inserted alphabetically at the appropriate places in the Index of the above Red Book under the product Groups mentioned above.
- 5. For the description of items "Bicycle battery lamps (without bulb and cells)" and "Bicycle Oil lamps" appearing on page V of the index, the items "Bicycle battery lamps (without bulbs and cells all sorts" and "Bicycle Oil lamps all sorts" respectively may be substituted.

Subject.—Import Policy for Registered Exporters for the year April, 1968—March, 1969.

No. 259-ITC(PN)/68.—Attention is invited to the Import Policy for Registered Exporters contained in Volume II of the Import Trade Control Policy Book (Red Book) for the year April, 1968—March, 1969, issued under the Ministry of Commerce Public Notice No. 50-ITC(PN)/68 dated 1st April, 1968.

- (2) The following items are classified under the product Group "A Engineering Goods" and fall under S. No. A. 131 (Steel forgings):
  - 1. Stub Ball Yoks.
  - 2. Slip Stub Shaft.
  - 3. Midship Stub Shaft.
  - Flonge Yoke.
  - 5. Sleeve Yoke.
  - 6. Journal Forging.

- 7. Output Shaft Cluten.
- 8. Trans. Main Drive Gear.
- 9. Rear Dff. Pinion.
- 10. Trans. Case Companion Flange.
- 11. Trans. Inter and High Clutch Steeve.
- 12. Brake Operating Lever-
- 13. Trans. Case Shift Fork.
- 14. Ratchet Locksleeve.
- Retainer Abutment Ring.
- 16. Retainer Trunion.
- 17. Fly Weight.
- 18. Control Lever Forging.
- 19. Rear Diff. Slide Gear.
- 20. Trans. Case Output Shaft Sliding Gear.
- 21. Connecting Rod.
- 22. King Pin Ball Yoke.
- 23. Starter Shaft.
- 24. Reverse Pinion.
- 25. Sliding Dog Clutch.
- 26. Companion Flange.
- 27. Side Rod.
- 28. Rifle Bar.
- 29. Akile Arm.
- 30. Speed Change Lever.
- 31. Clutch Operating Lever
- 32. Selector Piece.
- 33. Clutch Gear Main Shaft.
- 34. Input Gear.
- 35. Output Gear.
- 36. Idler Gear.
- 37. Driven Half Coupling.
- 38. Bearing Housing.
- 39. Operating Fork
- 40. Idler Shaft Carrier.
- 41, Camshaft.
- 42, Crankshaft.
- 43. Yoke Prop. Shaft and Axle.
- 44. Hub 11"
- 45 Shaft with cam for Brake Shoe
- 46. Blanke For Driven Shaft.
- 47. Cam Gear Wheel,
- 48. Release Lever.
- 49. Axle Drive Flange.
- 50. Peg Point 17 15/16"
- 51. Peg Point 23 15/16".
- 52. Gear Control Cross
- 53.Tie Rod End.
- 54. King Pin Bearing Cap.
- 55. Door Hinge Foot.

- 56. Coupling Hook.
- 57. Coupling Yoke,
- 58. Coupling Block.
- 59. Compressor Block.
- 60. Throttle Handle.
- 61. Water Valve Body.
- 62. Throttle Valve Lever.
- 63. Intermediate Gear.
- 64. Trans. Counter Shaft Gear.
- 65. Shackle Pin Retainer.
- 66. Shackle.
- 67. Universal Joint Flange.
- 68 Cross Head Valve.
- 69. Body Injector.
- 70. Gear Accessory Drive.
- 71. Lyshaft Gear.
- 72. Rear Axle.
- 73. Shackle Stone.
- 74. Rear Suspension Bracket.
- 75. Rear Wheel Spindle.
- 76. Front Wheel Spindle
- 77. Head Lug.
- 78. Steering Lug.
- 79. Sperical Seat.
- 80. Collar Pin.
- 81. Tumbler Handle.
- 82. Side Rod.
- 83. Bar Handle.
- 84. Front Cover.
- 85. Back Head.
- 86. Cylinder.
- 87. Trigger.
- 88. Anvil Sleever.
- 89. Spring Retainer Yoke,
- 90. Brake Beam Ends.
- 91. Rypoid Revel Drive Gear.
- 92. Axle Shaft.
- 93. Threaded Bush.
- 94. Wheel Bearing Spindle.
- 95. Chuck Body.
- 96. End Connecter.
- 97. Rod Levelling.
- 98. Fork Selector.
- 99. Rod Draft Control.
- 100. Front Axle.
- 101. Flange Hub.
- 102. Fuel Pump Gear.
- 103. Latch Parking Brake.

- 104. Shifting Fork.
- 105. Main Shaft.
- 106. Input Shaft.
- 107. Gear Change Fork.
- 108. Gear Change Dog.
- 109. Clutch Bush.
- 110. Rear Wheel, Flange.
- 111. Ring.
- 112. Kauckle Pivot Pin.
- 113. Brake Camshaft.
- 114. Driving Spur Gear.
- 115. Pinion Rear Axle.
- 116, Grown Wheel.
- 117. Eccentric Ring.
- 118. Bevel Drive Gear.
- 119. Diff. Housing RT & LT.
- 120. Diff. Side Gear.
- 121. Driving Flange Rear Axle.
- 122. Cover for Bearing Bush-
- 123. Gear Superchange Drive.
- 124. Lub Oil and Fuel Pump.
- 125. Helical Gear.
- 126. Muff Bearer.
- 127. Sliding Sleeve.
- 128 Spur Gear.
- 129. Gear Change Head.
- 130. Gear Change Lever.
- 131. Front Axle Beam.
- 132. Spacer Vibration Damper.
- 133. Engaging Gear.
- 134. Gear Shift Sleeve.
- 135. Rear Towing Hook.
- 136. Pressure Ring.
- 137. Drive Gear.
- 138. Counter Double Gear.
- 139. Reverse Idler Double Gear.
- 140, Rotary Goal Bit.
- 141. Drive Shaft.
- 142, Low Speed Gear, Shift Gam-
- 143. High Speed Gear, Shift Gam.
- 144. Brake Pedal Lever Hub.
- 145 Gear Shifter Lever End.
- 146. Lift Rod Upper Half.
- 147. Lift Rod Lower Half.
- 148. Rocker Arm.
- 149. Depth Control Gam.
- 150, Lift Arm.
- 151. Steering Knuckle Arm RH and LH.
- 152. Steering Knuckle.

- 153. Jeep Synchro Internal Steeve.
- 154. Steering Arm.
- 155. End Yoke.
- 156. Rear Spring Bracket.
- 157. Rear Spring Saddle.
- 158. Fork Clutch.
- 159. Hub Front Wheel.
- 160. Stub Axle.
- 161. Steering Shaft.
- 162. Steering Yoke.
- 163. Adjustment Eccentric.
- 164. Drive Pinton
- 165. Cover Diff. Case.
- 166. Trans. Counter Shaft 1st Speed.
- 167. Constant Mesh Gear.
- 168 Reverse Speed Sliding Gear.
- 169. Sliding Gear Coupling.
- 170. Coupling Gear.
- 171. Sliding Quill Gear.
- 172. Reverse Idler Shaft.
- 173. Reverse Idler Gear.
- 174. Bull Gear.
- 175. Bull Pinion and Brake Shaft,
- 176. Clutch Outer Race.
- 177. Shifter Shaft.
- 178. Axle Holding Arm.
- 179. Ball Pin.
- 180, B. S. Saddle Plate.
- 181, B. S. Bottom Plate.
- 182. Steel Forgings may be specified from time to time.
- (3) The above classification of items will take effect in respect of exports made on or after 1st April, 1968.
- (4) The items mentioned in para 2 above may be inserted alphabetically at the appropriate places in the Index of the above Red Book on pages iii to xxxii giving S. No. A. 131 against each.
- (5) If any of the above items have earlier been classified under any of other entry, the same may be deleted therefrom.

R J. REBELLO,

Chief Controller of Imports and Exports.

